

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 1 of 8
MSDS ref CII07-028

MATERIAL SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

PRODUCT

Product name: **Certified Check Oil**
Alternate description/ brand: 5W, 10W, 15W
Product description: Formulated Commercial Engine Oil
Product code: 9727-S00, 9727-S01, 9727-S02
Intended use: Check viscometer measurement function

COMPANY IDENTIFICATION

Supplier: Cannon Instrument Company
2139 High Tech Road
State College, Pennsylvania 16803
Product Technical Information: (814) 353-8000
Product MSDS Information: (814) 353-8000

EMERGENCY TELEPHONE NUMBER:

24-Hour Transportation Emergency: (800) 255-3924 Domestic CHEM-TEL Inc.
24-Hour Health Emergency: +1 (813) 248-0585 Overseas CHEM-TEL Inc. (please call collect)

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS Number of Components</u>	<u>Approximate Concentration</u>
Lubricating Oil Base stock	64742-54-7 64741-88-4	Greater than 80 %
Proprietary Additives	Mixture	Less than 20%

Exposure Limit for Total Product: 5mg/m³ oil mist for an 8 hour workday

CERLA Hazardous Substances: None known

US TSCA Inventory: All components of this material are on the US TSCA Inventory

Threshold Planning Quantity (TPQ) EPA Regulations 40 CFR 355 Extremely Hazardous Substances (SARA Sections 301-304: None

Toxic Chemical Release Reporting, EPA Regulations 40 CFR 372 (SARA Section 313): Zinc Compound 1.5%

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 2 of 8
MSDS ref CII07-028

SECTION 3	HAZARD IDENTIFICATION
------------------	------------------------------

This product is not classified as hazardous

EFFECTS OF OVEREXPOSURE:

Acute effects

- Eye:** Non-toxic, not classified as irritating. Direct contact may cause temporary redness and discomfort.
- Skin:** No significant irritation expected from a single short-term exposure
- Inhalation:** No significant effects expected from a single short-term exposure. Inhalation exposures are not expected under recommended uses/ conditions
- Oral:** Low toxicity. Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause severe pulmonary injury, possibly progressing to death.

Prolonged/ repeated exposure effects

- Skin:** Not classified as hazardous
- Inhalation:** Not classified as hazardous
- Oral:** Not classified as hazardous

Repeated and/or prolonged exposure may cause irritation to the skin, eyes or respiratory tract.

Signs and symptoms of overexposure:

Irritation and/ or redness of eyes and skin

Medical conditions aggravated by exposure

None identified

NFPA HAZARD ID: Health: 1 Flammability: 1 Reactivity: 0
(National Fire Protection Association)

NOTE: This material should not be used for any other purpose than the intended use in Section 1

SECTION 4	FIRST AID MEASURES
------------------	---------------------------

INHALATION If respiratory irritation, dizziness, nausea, or unconsciousness occurs due to excessive vapor or mist exposure, seek medical assistance.

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 3 of 8

MSDS ref CII07-028

SKIN CONTACT Wash contact areas with soap and water. Remove and clean oil soaked clothing daily and wash affected area.

EYE CONTACT Flush thoroughly with water. If irritation persists, call a physician.

INGESTION If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt medical attention.

NOTE TO PHYSICIAN: Ingested material, if aspirated into the lungs, may cause chemical pneumonitis.

SECTION 5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Appropriate extinguishing media: Carbon dioxide, foam, dry chemical and water fog. Water can be used to cool fire exposed containers. For large fires, use alcohol- or universal-type foams. Water jets should not be used

FIRE FIGHTING

Fire fighting instructions: Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep the exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Unusual fire hazards: None identified

Hazardous combustion products: Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Fumes, smoke, carbon monoxide, aldehydes and other decomposition products

FLAMMABILITY PROPERTIES

Flash point °C (°F) [method]: >210°F/ >99°C

Flammable limits (approx. Volume % in air) – not available

Autoignition temperature °C (°F): not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

NOTIFICATION PROCEDURES: Report spills/releases to appropriate authorities as required.

CONTAINMENT/ CLEANUP

PROCEDURES IF MATERIAL IS RELEASED OR SPILLED:

LAND SPILL: Shut off source taking normal safety precautions. Take measures to minimize the effects on ground water. Recover by pumping or contain spilled material with sand or other suitable absorbent and remove mechanically into containers. If necessary, dispose of adsorbed residues as required by regulations (see Section 13.)

WATER SPILL: Confine the spill immediately with booms. Notify relevant authorities. Remove from the surface by skimming or with suitable absorbents

ENVIRONMENTAL PRECAUTIONS: Prevent material from entering sewers, water sources or low lying areas; advise the relevant authorities if it has, or if it contaminates soil/vegetation.

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 4 of 8
MSDS ref CII07-028

PERSONAL PROTECTIVE EQUIPMENT FOR SPILLS

Eyes: Use proper protection – safety glasses as a minimum

Skin: Washing at mealtime and end-of-shift is adequate

Inhalation: No respiratory protection should be needed

Precautionary measures: Avoid eye contact. Use reasonable care

SECTION 7	HANDLING AND STORAGE
------------------	-----------------------------

HANDLING

Avoid prolonged/ repeated skin contact. Use with adequate ventilation

STORAGE:

Keep containers closed when not in use. Do not store in open or unlabelled containers. Store in a cool, dry place; do not store near heat, sparks, flame or strong oxidants.

SPECIAL PRECAUTIONS

Prevent small spills and leakages to optimize housekeeping and avoid slip hazards.

EMPTY CONTAINER WARNING

Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to refill or clean container since residue is difficult to remove. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

STORAGE

Use reasonable care and store away from oxidizing materials

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
------------------	--

EXPOSURE LIMIT VALUES

No workplace exposure limits have been established for this product

ENGINEERING CONTROLS

General ventilation is recommended. No local exhaust ventilation should be needed

PERSONAL PROTECTION

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 5 of 8

MSDS ref CII07-028

Respiratory Protection:

No respiratory protection should be needed under recommended conditions of use

Hand Protection:

No special protection is needed

Eye Protection:

Use proper protection – safety glasses as a minimum

Specific Hygiene Measures:

Washing at mealtime and end-of-shift is adequate. Provide eyewash fountains in the event of accidental splash to the eyes

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES
------------------	---

Typical physical and chemical properties are given below. Consult the Cannon Instrument Company as indicated in Section 1 for additional data.

GENERAL INFORMATION

Physical state: Clear dark amber liquid
Form: Liquid
Color: dark amber
Odor: Characteristic odor
Odor threshold: not available

IMPORTANT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION

Specific Gravity @ 25°C: 0.8762/0.8860
Bulk density g/cc: not available
Density, kg/m³ (lbs./gal.): not available
Flash point °C (°F) [method]: >410°F/ >210°C (ASTM D-92)
Flammable limits (approx. Volume % in air) - not available
Ignition temperature (polymers) °C (°F): not available
Autoignition temperature °C (°F): not available
Boiling point/range °C (°F): not available
Vapor density @ 101 kPa (air =1): greater than air
Vapor pressure @ 20°C, kPa (mm Hg): negligible
Evaporation rate (n-butyl acetate =1): negligible
pH: not applicable
Log Pow (n-Octanol/water partition coefficient): not available
Solubility in water (20 °C): negligible, less than 0.1%
Viscosity: 10 to 16 cSt at 100 °C

OTHER INFORMATION

Freezing point °C (°F): not available
Melting Point °C (°F): not available
Pour point °C (°F): not available
Molecular weight: not available
Hygroscopic: no

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 6 of 8
MSDS ref CII07-028

Coefficient of thermal expansion: not determined

SECTION 10	STABILITY AND REACTIVITY
-------------------	---------------------------------

STABILITY: Stable

CONDITIONS TO AVOID: Extreme heat and high energy sources of ignition.

MATERIALS TO AVOID: Strong oxidizing agents/ materials can cause a reaction

HAZARDOUS DECOMPOSITION PRODUCTS: Product does not decompose at ambient temperatures.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur

SECTION 11	TOXICOLOGICAL INFORMATION
-------------------	----------------------------------

Information from suppliers indicates that the product is not classifiable as hazardous

SECTION 12	ECOLOGICAL INFORMATION
-------------------	-------------------------------

Environmental fate and distribution

No specific environmental data are available for this product; this assessment is based on information for similar components/ products.

Air: This product has a low vapor pressure. As a result, it is unlikely to become an atmospheric contaminant under recommended conditions of use

Water: This product has low water solubility. Since it has a specific gravity of <1, if discharged to water, it will form a surface film. No specific ecological data are available from the supplier for this product

Soil: No specific ecological data are available from the suppliers of components of this product

Degradation: No specific ecological data are available from the suppliers of components of this product

Environmental effects

Toxicity to water organisms: No specific ecological data are available from the suppliers of components of this product

Toxicity to soil organisms: No specific ecological data are available from the suppliers of components of this product

Bioaccumulation: No specific ecological data are available from the suppliers of components of this product

Fate and effects in water treatment plants

No specific data are available from the suppliers of components of this product

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 7 of 8
MSDS ref CII07-028

SECTION 13 DISPOSAL CONSIDERATIONS

When a decision is made to discard this material, it is not considered a hazardous waste under Resource Conservation and Recovery Act (RCRA).

State or local laws may impose additional regulatory requirements regarding disposal

WASTE DISPOSAL: Product is suitable for burning in an enclosed, controlled burner for fuel value. Such burning may be limited pursuant to the Resource Conservation and Recovery Act. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at an appropriate government waste disposal facility. Use of these methods is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time of disposal.

SECTION 14 TRANSPORT INFORMATION

Note: The information provided below may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

United States Department of Transportation (US DOT):

UN/ID#	Proper Shipping Name	Class/Division	Hazard Label(s)	Packing Group
Not Regulated As A Hazardous Material Or Dangerous Good For This Mode of Transportation.				

International Air Transport Association (IATA):

UN/ID#	Proper Shipping Name	Class/Division	Hazard Label(s)	Packing Group
Not Regulated As A Hazardous Material Or Dangerous Good For This Mode of Transportation.				

SECTION 15 REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD: When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

NATIONAL CHEMICAL INVENTORY LISTING: This product, and/ or its constituents, is listed on the US EPA/ TSCA (Toxic Substances Control Act) Inventory

COMMUNITY RTK:

Chemical Name	CAS Number	Typical Value	Component TPQ	Product TPQ
Lubricating Oil Base Stock	64742-54-7 64741-88-4	Greater than 80%	Not applicable	Not applicable
Proprietary Additives	Mixture	Less than 20 %	Not applicable	Not applicable

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein is compiled from suppliers' MSDS and are accurate and reliable to the best of Cannon Instrument Company's knowledge and belief as of the indicated revision date. No representation, warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to determine the suitability and completeness of such information for any specific conditions/ use.

Product Name: **Certified Check Oil**



Revision Date: *May 4, 2007*

Page 8 of 8

MSDS ref CII07-028

Section 304 CERCLA HAZARDOUS SUBSTANCES:

This product contains no chemicals that are classified as hazardous under CERCLA

SARA (311/312) REPORTABLE HAZARD CATEGORIES:

This product contains no chemicals that are classified as hazardous under SARA 312

SARA (313) TOXIC RELEASE INVENTORY:

Zinc Compound 1.5%

International chemical inventories and hazard classifications

This product and/ or its components are on the Canadian Domestic Substance List/ NDSL, or are otherwise in compliance with related regulations.

[WHMIS Classifications \(Canada\):](#)

This product is not controlled under WHMIS

This product and/ or its components are on EINECS (European Inventory of Existing Chemical Substances) and/ or ELINCS (European Library of Notified Chemical Substances), or is otherwise in conformance with related EU directives/ regulations.

[EU Hazard Classification, risk and safety phrases \(Europe\):](#)

This material is not dangerous as defined by the EU Dangerous Substances/Preparations Directives.

EU LABELING: Not regulated according to EC Directives regulations

SECTION 16

OTHER INFORMATION

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

Revision Summary:

- **March 1, 2006 -- This MSDS has been fully reviewed and reformatted to conform to changes in standard format**
- **February 27, 2007: Added Canadian and European classification and labeling information, based on current regulations and/or recommendations from suppliers (see Section 15)**
- **May 4, 2007: Updated and standardized format of Transport Information (see Section 14)**

NOTES: