

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**

Revision Date: *March 9, 2011*



Page 1 of 8

MSDS ref CII11-002

# MATERIAL SAFETY DATA SHEET

<b>SECTION 1</b>	<b>PRODUCT AND COMPANY IDENTIFICATION</b>
------------------	---

## PRODUCT

**Product name:** **Miscellaneous Viscosity Standards – Hydrocarbon polymer**

**Alternate description/ brand:** VP1600, VP2400, VP3000, VP5800, VP8400, GJ3000P

**Product description:** Hydrocarbon polymer

**Product code:** 0003-Y84, 0003-Y86, 0003-Y88, 0003-Y92, 0003-Y94

**Intended use:** Viscometer calibration standards

## COMPANY IDENTIFICATION

**Supplier:** Cannon Instrument Company

2139 High Tech Road

State College, Pennsylvania 16803

Product Technical Information: (814) 353-8000

Product MSDS Information: (814) 353-8000

## EMERGENCY TELEPHONE NUMBER:

24-Hour Transportation Emergency: (800) 255-3924 Domestic CHEM-TEL Inc.

24-Hour Health Emergency: +1 (813) 248-0585 Overseas CHEM-TEL Inc. (please call collect)

<b>SECTION 2</b>	<b>COMPOSITION/INFORMATION ON INGREDIENTS</b>
------------------	---

- **OSHA Hazardous Substance(s) or Complex Substance(s)**

None present. This is not a hazardous substance as defined in the OSHA Hazard Communication Standard

<b>SECTION 3</b>	<b>HAZARD IDENTIFICATION</b>
------------------	------------------------------

This product is a mixture that has not been tested in laboratory animals. The following is based on characterizations of components as provided by suppliers

## EFFECTS OF OVEREXPOSURE:

### Acute effects

**Eye:** Will cause slight eye discomfort, but will not injure eye tissue. Direct contact may cause temporary redness and discomfort.

**Skin:** No significant irritation expected from a single short-term exposure. No hazard in normal industrial use.

**Inhalation:** No significant effects expected from a single short-term exposure. Inhalation exposures are not expected under recommended uses/ conditions.

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**

Revision Date: *March 9, 2011*



---

**Oral:** Minimal toxicity, low ingestion hazard in normal use.

**Prolonged/ repeated exposure effects**

**Skin:** Not classified as hazardous

**Inhalation:** Not classified as hazardous

**Oral:** Not classified as hazardous

**Signs and symptoms of overexposure:**

None identified

**Medical conditions aggravated by exposure**

None identified

**NFPA HAZARD ID:** Health: 0 Flammability: 1 Reactivity: 0  
**(National Fire Protection Association)**

NOTE: This material should not be used for any other purpose than the intended use in Section 1

---

**SECTION 4 FIRST AID MEASURES**

---

**INHALATION** First aid is normally not required. However, if respiratory irritation, dizziness, nausea, or unconsciousness occurs due to excessive exposure, use proper respiratory protection and immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek medical attention.

**SKIN CONTACT** First aid is normally not required. Remove grossly contaminated clothing, including shoes, and launder before reuse.

**EYE CONTACT** Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention

**INGESTION** First aid is normally not required.

---

**SECTION 5 FIRE-FIGHTING MEASURES**

---

**EXTINGUISHING MEDIA**

**Appropriate extinguishing media:** Carbon dioxide, foam, dry chemical and water fog. Water can be used to cool fire exposed containers

**FIRE FIGHTING**

**Fire fighting instructions:** Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to local emergency plan. Use water spray to keep the exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

**Unusual fire hazards:** None identified

**Hazardous combustion products:** Thermal breakdown of this product during fire or very high heat

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**



Revision Date: *March 9, 2011*

Page 3 of 8

MSDS ref CII1-002

---

conditions may evolve the following hazardous decomposition products: Fumes, smoke, carbon monoxide, aldehydes and other decomposition products

#### **FLAMMABILITY PROPERTIES**

**Flash point °C (°F) [method]:** >138 °C (>280 °F) [Open Cup]

**Flammable limits (approx. Volume % in air):** not determined

**Autoignition temperature °C (°F):** not determined

<b>SECTION 6</b>	<b>ACCIDENTAL RELEASE MEASURES</b>
------------------	------------------------------------

**NOTIFICATION PROCEDURES :** Report spills/releases to appropriate authorities as required.

#### **CONTAINMENT/ CLEANUP**

##### **PROCEDURES IF MATERIAL IS RELEASED OR SPILLED:**

**LAND SPILL:** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures; for large spills in a public area, keep public away and advise authorities. Prevent liquid from entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with a suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**WATER SPILL:** Confine the spill immediately with booms. Notify relevant authorities. Remove from the surface by skimming or with suitable absorbents

**ENVIRONMENTAL PRECAUTIONS:** Prevent material from entering sewers, water sources or low lying areas; advise the relevant authorities if it has, or if it contaminates soil/vegetation. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

#### **PERSONAL PROTECTIVE EQUIPMENT FOR SPILLS**

**Eyes:** Use proper protection . safety glasses as a minimum

**Skin:** Washing at mealtime and end-of-shift is adequate

**Inhalation:** No respiratory protection should be needed

**Precautionary measures:** Avoid eye contact. Use reasonable care

<b>SECTION 7</b>	<b>HANDLING AND STORAGE</b>
------------------	-----------------------------

#### **HANDLING**

Avoid prolonged/ repeated skin contact. Use with adequate ventilation. This product is not an accumulator of static electricity

#### **STORAGE:**

Keep containers closed when not in use. Do not store in open or unlabelled containers. Store away from strong oxidizing agents and combustible materials. Do not store near heat, sparks, flame or strong oxidants.

#### **SPECIAL PRECAUTIONS**

Prevent small spills and leakages to optimize housekeeping and to avoid slip hazard.

#### **EMPTY CONTAINER WARNING**

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**



Revision Date: *March 9, 2011*

Page 4 of 8

MSDS ref CII11-002

Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to refill or clean container since residue is difficult to remove. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

#### **STORAGE**

Use reasonable care and store away from oxidizing materials

<b>SECTION 8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
------------------	--

#### **EXPOSURE LIMIT VALUES**

No workplace exposure limits have been established for this product

#### **ENGINEERING CONTROLS**

General ventilation is recommended. No local exhaust ventilation should be needed

#### **PERSONAL PROTECTION**

Personal protective equipment selections vary based on potential exposure conditions such as conditions of use, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

##### **Respiratory Protection:**

No respiratory protection should be needed

##### **Hand Protection:**

No special protection needed

##### **Eye Protection:**

Use proper protection . safety glasses as a minimum

##### **Specific Hygiene Measures:**

Washing at mealtime and end-of-shift is adequate

<b>SECTION 9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
------------------	---

Typical physical and chemical properties are given below. Consult the Cannon Instrument Company as indicated in Section 1 for additional data.

#### **GENERAL INFORMATION**

<b>Physical state:</b>	Viscous liquid
<b>Form:</b>	Liquid
<b>Color:</b>	clear
<b>Odor:</b>	Characteristic odor
<b>Odor threshold:</b>	not available

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**



Revision Date: *March 9, 2011*

Page 5 of 8  
MSDS ref CII11-002

## IMPORTANT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION

**Specific Gravity @ 25°C:** <0.9  
**Bulk density g/cc:** not determined  
**Density, kg/m<sup>3</sup> (lbs./gal.):** not determined  
**Flash point °C (°F) [method]:** >138 °C (>280 °F) [Open Cup]  
**Flammable limits (approx. Volume % in air):** not determined  
**Ignition temperature (polymers) °C (°F):** not determined  
**Autoignition temperature °C (°F):** not determined  
**Boiling point/range °C (°F):** not determined  
**Vapor density @ 101 kPa (air =1):** not determined  
**Vapor pressure @ 20°C, kPa (mm Hg):** not determined  
**Evaporation rate (n-butyl acetate =1):** not determined  
**pH:** not applicable  
**Log Pow (n-Octanol/water partition coefficient):** not determined  
**Solubility in water (20 °C):** negligible  
**Viscosity:** see product specification

### OTHER INFORMATION

**Freezing point °C (°F):** not determined  
**Melting Point °C (°F):** not determined  
**Pour point °C (°F):** not determined  
**Molecular weight:** not available  
**Hygroscopic:** no  
**Coefficient of thermal expansion:** not determined

## SECTION 10 STABILITY AND REACTIVITY

**STABILITY:** Stable

**CONDITIONS TO AVOID:** Extreme heat and high energy sources of ignition.

**MATERIALS TO AVOID:** Strong oxidizing agents/ materials can cause a reaction

**HAZARDOUS DECOMPOSITION PRODUCTS:** Product does not decompose at ambient temperatures.

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur

## SECTION 11 TOXICOLOGICAL INFORMATION

Test data are not available. Information from suppliers indicates that the product is not classifiable as hazardous

## SECTION 12 ECOLOGICAL INFORMATION

### Environmental fate and distribution

No specific environmental data are available for this product; this assessment is based on information for similar components/ products.

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**



Revision Date: *March 9, 2011*

Page 6 of 8

MSDS ref CII11-002

**Air:** This product has a low vapor pressure. As a result, it is unlikely to become an atmospheric contaminant under recommended conditions of use

**Water:** This product has low water solubility. Since it has a specific gravity of <1, if discharged to water, it will form a surface film. No specific ecological data are available from the supplier for this product

**Soil:** No specific ecological data are available from the supplier for this product

**Degradation:** No specific ecological data are available from the supplier for this product

**Environmental effects**

**Toxicity to water organisms:** No specific ecological data are available from the supplier for this product

**Toxicity to soil organisms:** No specific ecological data are available from the supplier for this product

**Bioaccumulation:** No specific ecological data are available from the supplier for this product

**Fate and effects in water treatment plants**

No specific data are available from the supplier for this product

**SECTION 13 DISPOSAL CONSIDERATIONS**

When a decision is made to discard this material, it is not considered a hazardous waste under Resource Conservation and Recovery Act (RCRA).

State or local laws may impose additional regulatory requirements regarding disposal

**WASTE DISPOSAL :** Product is suitable for burning in an enclosed, controlled burner for fuel value. Such burning may be limited pursuant to the Resource Conservation and Recovery Act. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at an appropriate government waste disposal facility. Use of these methods is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time of disposal.

**SECTION 14 TRANSPORT INFORMATION**

**Note:** The information provided below may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

**United States Department of Transportation (US DOT):**

UN/ID#	Proper Shipping Name	Class/Division	Hazard Label(s)	Packing Group
--------	----------------------	----------------	-----------------	---------------

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein is compiled from suppliers' MSDS and are accurate and reliable to the best of Cannon Instrument Company's knowledge and belief as of the indicated revision date. No representation, warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to determine the suitability and completeness of such information for any specific conditions/ use.

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**



Revision Date: *March 9, 2011*

Page 7 of 8

MSDS ref CII11-002

**United States Department of Transportation (US DOT):**

Not Regulated As A Hazardous Material Or Dangerous Good For This Mode of Transportation.

**International Air Transport Association (IATA):**

UN/ID#	Proper Shipping Name	Class/Division	Hazard Label(s)	Packing Group
Not Regulated As A Hazardous Material Or Dangerous Good For This Mode of Transportation.				

**SECTION 15 REGULATORY INFORMATION**

**OSHA HAZARD COMMUNICATION STANDARD:** This material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**NATIONAL CHEMICAL INVENTORY LISTING:** This product, and/ or its constituents, is listed on the US EPA/ TSCA (Toxic Substances Control Act) Inventory

**COMMUNITY RTK:**

Chemical Name	CAS Number	Typical Value	Component TPQ	Product TPQ
Polybutene (isobutylene/ butane copolymer	9003-29-6	100%	Not applicable	Not applicable

**Section 304 CERCLA HAZARDOUS SUBSTANCES:**

This product contains no chemicals that are classified as hazardous under CERCLA

**SARA (311/312) REPORTABLE HAZARD CATEGORIES:**

This product contains no chemicals that are classified as hazardous under SARA 312

**SARA (313) TOXIC RELEASE INVENTORY:**

This product contains no chemicals that are regulated under SARA 313

**International chemical inventories and hazard classifications**

**This product and/ or its components are on the Canadian Domestic Substance List/ NDSL, or are otherwise in compliance with related regulations.**

**WHMIS Classifications (Canada):**

This series of fluids is not controlled under provisions of WHMIS

**This product and/ or its components are on EINECS (European Inventory of Existing Chemical Substances) and/ or ELINCS (European Library of Notified Chemical Substances), or is otherwise in conformance with related EU directives/ regulations.**

**EU Hazard Classification, risk and safety phrases (Europe):**

Product Name: **Miscellaneous Viscosity Standards  
– Hydrocarbon Polymer**

Revision Date: *March 9, 2011*



Page 8 of 8

MSDS ref CII11-002

---

---

This series of fluids is not classified as dangerous according to EU directives and regulations.

**SECTION 16**

**OTHER INFORMATION**

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

**Revision Summary:**

- **October 15, 2005 -- This MSDS has been fully reviewed and reformatted to conform to changes in standard format**
- **March 6, 2007: Added Canadian and European classification and labeling information, based on current regulations and/or recommendations from suppliers (see Section 15)**
- **May 4, 2007: Updated and standardized format of Transport Information (see Section 14)**
- **March 6, 2008: Clarified wording of Section 304/CERCLA chemical classification in Regulatory Information (see Section 15)**
- **March 9, 2011: Reviewed content. Updated Alternate Description/Brand of Product and Company Identification to add GJ3000P (see Section 1). Updated Flammability Properties of Fire-Fighting Measures (see Section 5). Updated Important Health, Safety, and Environmental Information of Physical and Chemical Properties (see Section 9).**

**NOTES:**